Author Index of Volume 209

Abdellaoui, M., 351
Ahmed, F.M., 363
Ahsan Habib, M., 7
Andraka, B., 43
Antonione, C., 341
Antonov, V.E., 291
Aoki, K., 71
Arya, A., 175
Asmuth, R., 151

Bacmann, M., 135
Baier, M., 291
Baricco, M., 341
Bärner, K., 305
Battezzati, L., 341
Beaudry, B.J., 35
Birch Holt, J., 25
Blasse, G., 1
Bodak, O.I., 107
Bokhenkov, E.L., 291
Bolotina, N.B., 145
Bordet, P., 251
Bose, D.K., 175
Böttcher, P., 151
Bottino, C., 319
Boucherle, J.X., 251
Brabers, J.H.V.J., 135
Brison, J.P., 251
Brixner, L.H., 1
Burzo, E., L33
Buscaglia, V., 319
Buschow, K.H.J., 135
Buzhinsky, S., 305

Campet, G., 59, 285
Castanet, R., 81
Černý, R., L29
Chełkowska, G., 337
Chen, X., 65
Chen, Z., 235
Chenavas, J., 251
Cheng, Y.-T., 7
Cherepanov, Yu.G., 111
Courtois, D., 231
Crawford, M.K., 1
Criado Portal, A.J., 263

Daams, J.L.C., 85
D'Alessio, L., 207
Dankelmann, V., 305
Dash, S., 193
de Boer, F.R., 135
De Veirman, A.E.M., 85
Dimitrova, O.V., 145
Ding, J., 221
Dirksen, G.J., 1
Doert, Th., 151
Dorner, B., 291
Duczmal, M., 271

Echigoya, J., 279
Edgley, D.S., 363
Ellis, T., 35
Enoki, H., 279
Erickson, L.C., 117
Eriksson, O., 15
Etourneau, J., 59, 285

Fabbricatore, P., 319
Ferro, D., 207
Fischer, P., L29
Fruchart, D., 135
Fujinaga, Y., 311
Fukada, S., L23
Fukuda, T., L11

Gabay, A.M., 299
Gaffet, E., 351
Gao, Y.H., 245
Gemme, G., 319
Genoud, J.-Y., 225
Gilbert, M., 81
Givord, D., 231
Gschneidner, Jr., K.A., 35
Guo, J.T., L15
Gupta, M., 159
Gusa, C., L33

Haen, P., 251
Hari Babu, V., 329
Harris, I.R., 125, 363
Hirai, T., 279
Hjörvarsson, B., 117
Horiuchi, H., L11
Hu, D., 167
Hu, Z.Q., L15

Iwasaki, H., L11

Jalnin, B.V., 299
Janod, E., 225
Jeitschko, W., 217
Johansson, B., 15
Julián Rodríguez, R., 263
Junod, A., 225

Kadir, K., 213
Kevorkian, B., L33
Kohnke, H., 305
Kuhlmann, U., 181

Latynin, A.I., 291
Laux, M., 181
Lbibb, R., 81
Lee, J.-Y., L5
Lejay, P., 251
Li, L., L1
Li, W.Z., 245
Li, Y., 7
Liang, J., 65
Lileev, A.S., 299
Loretto, M.H., 167
Lu, G., L15
Lu, K., 139
Lück, R., 139
Lueken, H., 49
Lunin, V.V., 93
Luo, Z., 275

Masumoto, T., 71
McCormick, P.G., 221
Medvedeva, I.V., 305
Meli, F., 99
Melnikov, P., 269
Melsen, J., 15
Meng, C.G., L15
Menushenkov, V.P., 299
Muller, J., 225
Müller-Buschbaum, Hk., L19, 189, 239
Mumtaz, K., 279
Muralidhar, M., 329
Musenich, R., 319

Nadejina, T.N., 145
Nakagawa, S., L11
Nasar, A., 197
Nemirovskaya, I.E., 93
Nishikawa, M., L23
Nojima, S., L11
Noréus, D., 213
Notten, P.H.L., 85
Nozières, J.P., 231

Obrucheva, E.V., 299
Orgaz, E., 159
Osterloh, D., L19

Pang, W., L9
Parodi, R., 319
Patil, K.C., 203
Pawlak, L., 271
Pecharsky, V.K., 35
Piacente, V., 207
Portier, J., 59, 285
Prasad, R., 193
Prots', Yu.M., 107
Pushcharovsky, D.Yu., 145

Qiao, Z., 65

Ragg, O.M., 125
Rashupkin, V.I., 291
Rastsvetaeva, R.K., 145
Rath, M., 239
Ravinder Reddy, R., 329
Reehuis, M., 217
Ressouche, E., 217
Rupp, B., 25

Salamakha, P.S., 107
Sari, C., 263
Sato, T., 311
Satyavathi, S., 329
Schilder, H., 49
Schlapbach, L., 99
Schmitz, J., 49
Schünemann, J.-W., 305
Shastry, M.C.R., 59
Shen, B., 221
Sherif El-Eskandarany, M., 71
Shindo, Y., 279
Shishido, T., L11
Singh, Z., 193
Skripov, A.V., 111
Sologub, O.L., 107
Song, X., 235
Sood, D.D., 193
Soubeyroux, J.L., 135
Staals, A.A., 85
Street, R., 221
Strunk, M., 189
Suresh, K., 203
Suzuki, K., 71

Takeya, H., 35
Tanaka, M., L11
Tang, J., L1
Tang, N., 245
Tang, Y., 275
Tanguy, B., 59, 285
Toyota, N., L11
Tripathy, P.K., 175
Triscone, G., 225
Tsukamoto, T., 225

Venugopal Reddy, P., 329
Veres, T., L33
Vernière, A., 251
Viviani, M., 319

Wagner, F.E., 291
Waide, P., 25
Wakihara, M., L29
Wang, C., 65
Wang, F., 221
Wang, H., L9
Wang, J.L., 245
Wang, K.-Q., 225

Wang, N., 235
Wang, X., 235
Werheit, H., 181
Wills, J.M., 15
Wipf, H., 111
Wong, J., 25
Xing, X., 65
Yan, D.-Y., 257
Yang, F., 245
Ye, Z., 117
Yong, Y.-J., L5
Yuan, W., 65
Yvon, K., L29
Zeng, Y.W., 245
Zeppenfeld, K., 217
Zhang, B., 319
Zhang, S., 275
Zhao, D., 275
Zhong, X.P., 245
Züttel, A., 99

Subject Index of Volume 209

Activation behaviour
  effects of pretreatment on the activation behavior of $Zr(V_{0.25}Ni_{0.75})_2$ metal hydride electrodes in alkaline solution, 99
Al_2O_3 coatings
  annealing of aluminium oxide coatings on iridium-coated isotropic graphite at high temperature in argon atmosphere, 279
$Al_{50}Hf_{50}$ composite
  thermally assisted solid state amorphization in rod-milled $Al_{50}Hf_{50}$ composite, 71
Alkaline chromates
  lithium intercalation into double rare earth chromates, 269
Alkaline solution
  effects of pretreatment on the activation behavior of $Zr(V_{0.25}Ni_{0.75})_2$ metal hydride electrodes in alkaline solution, 99
Aluminates
  magnetic properties of $CeAlO_3$, L11
Aluminium
  bonding and brittleness in B2-type FeAl, L15
Aluminum–zinc phase diagram
  the aluminum–zinc phase diagram under high pressure, 311
Amorphization temperature
  effect of transition element substitution on the amorphization temperature in the $ErCo_2$ C15 Laves compound, L5
Amorphous Y–Fe–N
  magnetic properties of amorphous Y–Fe–N thin films, 231
Annealing
  magnetic hardening of mechanically milled $Sm_2Fe_{14}Ga_3C_2$, 221
Antiperovskites
  electronic structure of lithium-based antiperovskite hydrides, 159
APW
  electronic structure of lithium-based antiperovskite hydrides, 159
Arc melting
  magnetic properties of $Sm_2(Fe_{1-x}Ga_x)_{17}$ compounds ($x = 0$–0.5), 245

Ball milling
  a mathematical and experimental dynamical phase diagram for ball-milled $Ni_{10}Zr_7$, 351
Barium iridium hydride
  $Ba_3Ir_2H_{12}$, a new ternary hydride containing octahedral $[IrH_6]^{3-}$ complex anions, 213
Bonding
  bonding and brittleness in B2-type FeAl, L15
Boron carbide
  solid solutions of silicon in boron-carbide-type crystals, 181
Brittleness
  bonding and brittleness in B2-type FeAl, L15

Catalytic activity
  catalytic effects of alloy surface on the oxygen consumption reaction in a sealed Ni/TiNiH battery, 257
Cations
  a simple model for the estimation of electronegativities of cations in different electronic states and coordinations, 285
Ceramics
  solid solutions of silicon in boron-carbide-type crystals, 181
  preparation and superconducting properties of high-quality Bi-2212 ceramics, 225
Cerium additions
  the taming of palladium: the influence of cerium additions on the magnetic and transport properties of palladium in the composition range of 5 to 16.7 at.% Ce, 35
Chromium carbides
  synthesis of Cr_7C_3 and Cr_3C_2 by mechanical alloying, L1
Coarsening
  coarsening of TiC particles in a rapidly solidified Ti6Al4V–TiC composite, 167
Combustion synthesis
  combustion synthesis and properties of $Ln_3Fe_5O_{12}$ and yttrium aluminium garnets, 203
Composite materials
  hydride formation in $Mg–ZrFe_{1.4}Cr_{0.6}$ composite material, 117
Composites
  elastic behaviour of Bi–Pb–Ag–Ca_2CuO_3 superconducting composite materials, 329
Conductivity
  the conductivity of $MnAs_{1-x}Sb_x$ and $Cr_yMn_{1-y}Sb$ single crystals, 305
Copper
  $K(Mg_{2.61}Cu_{0.39}Cu(AsO_4)_3)$: a further compound with Johillerite structure, L19
  location of oxygen in the structure of the Chevrel phase $Cu_{1.8}Mo_6S_{8-x}O_x$, L29
  a study of the effects of heat treatment on the microstructures and magnetic properties of Cu-added Nd–Fe–B type sintered magnets, 125
Copper oxides
  oxygen analysis for high-T_c copper oxides: an alternative method for the determination of solid solution limits, 65
Crystallography
  non-locally derivable sublattices in quasi-lattices, 139
Crystal structure
  structural chemistry and magnetism of dicyclopentadienide-halides of lanthanides. Part 8. terbiumdicyclopentadienidebromide $[Tb(C_5H_5)_2Br]_2$, 49
  new ternary holmium–ruthenium–germanides: HoRuGe and $Ho_3Ru_2Ge_3$, 107
  modulated crystal structure of $K_4(NbO)_2[Si_8O_{21}]$, 145
  syntheses and crystal structures of Tl_5Se_2Cl and Tl_5Se_2Br, 151
  $Ba_3Ir_2H_{12}$, a new ternary hydride containing octahedral $[IrH_6]^{3-}$ complex anions, 213
  crystal structures and physical properties of some new ternary compounds U_2T_3X (T = Ru, Os; X = Si, Ge), 251

Deuterides
crystal structure and superconductivity of high pressure hydrides and deuterides of HfRu and ZrRu compounds, 291
Differential scanning calorimetry
formation and stability of Al–Nd and Al–Nd–Fe metallic glasses, 341
Diffusion barrier
annealing of aluminium oxide coatings on iridium-coated isotropic graphite at high temperature in argon atmosphere, 279
Disordered magnetic moments
electrical resistivity of the $Gd(Al_{1-x}M_x)_2$ compounds for M≡In, Ga, Pd, Sn, Si and Ge, 337
Double rare earth chromates
lithium intercalation into double rare earth chromates, 269
Dynamic phase diagrams
a mathematical and experimental dynamical phase diagram for ball-milled $Ni_{10}Zr_7$, 351
Dysprosium
magnetic structure of $Dy_2Cr_2C_3$, 217

Elasticity
elastic behaviour of Bi–Pb–Ag–Ca_2CuO_3 superconducting composite materials, 329
Electrical resistivity
U doping study of U-based heavy fermions: UCu_4Pd and $UCu_{3.5}Pd_{1.5}$, 43
the aluminum–zinc phase diagram under high pressure, 311
electrical resistivity of the $Gd(Al_{1-x}M_x)_2$ compounds for M≡In, Ga, Pd, Sn, Si and Ge, 337
Electronegativities
a simple approach to materials design: role played by an ionic–covalent parameter based on polarizing power and electronegativity, 59
a simple model for the estimation of electronegativities of cations in different electronic states and coordinations, 285
Electronic band structure calculations
electronic structure of lithium-based antiperovskite hydrides, 159
Energy of formation
determination of standard molar Gibbs' energy of formation of Sr_3MoO_6(s), 193
Equilibrium pressures
determination of standard molar Gibbs' energy of formation of Sr_3MoO_6(s), 193
Erbium
the solid combustion synthesis of small $REBa_2Cu_3O_x$ samples (RE≡Y, Er), 25
Excess chemical potential
semi-empirical equations for pressure–composition–temperature curves of the Ti–H system, L23
Excitation
luminescence of materials based on $LuTaO_4$, 1

Ferromagnetism
magnetic behaviour of $R_2Co_7B_3$ compounds (R≡Ho,Er,Tm), L33
a stable Nd–Fe–O ternary compound in $Nd_{34}Fe_{60}O_6$ alloy, 235
F^- medium
hydrothermal crystallization of $NaZr_2(PO_4)_3$ in F^- medium, L9

Germanides
new ternary holmium–ruthenium–germanides: HoRuGe and $Ho_3Ru_2Ge_3$, 107
Germanium
crystal structures and physical properties of some new ternary compounds U_2T_3X (T≡Ru, Os; X≡Si, Ge), 251
Graphite
synthesis of Cr_7C_3 and Cr_3C_2 by mechanical alloying, L1

Heat-treatments
a study of the effects of heat treatment on the microstructures and magnetic properties of Cu-added Nd–Fe–B type sintered magnets, 125
magnetic hardening of mechanically milled $Sm_2Fe_{14}Ga_3C_2$, 221
Heavy fermions
U doping study of U-based heavy fermions: UCu_4Pd and $UCu_{3.5}Pd_{1.5}$, 43
High-field measurements
structure and magnetic properties of TbMnGa, 135
High pressure
crystal structure and superconductivity of high pressure hydrides and deuterides of HfRu and ZrRu compounds, 291
the aluminum–zinc phase diagram under high pressure, 311
High temperatures
growth of niobium nitrides by nitrogen–niobium reaction at high temperature, 319
Holmium
new ternary holmium–ruthenium–germanides: HoRuGe and $Ho_3Ru_2Ge_3$, 107
Hydride formation
in situ X-ray diffraction: a useful tool to investigate hydride formation reactions, 85
hydride formation in Mg–$ZrFe_{1.4}Cr_{0.6}$ composite material, 117
Hydrides
crystal structure and superconductivity of high pressure hydrides and deuterides of HfRu and ZrRu compounds, 291
magnetic properties and structure of hydrogenated Nd–Fe alloys, 299
Hydrogen
semi-empirical equations for pressure–composition–temperature curves of the Ti–H system, L23
hydrogen in the A15 compound V_3Ga: ^{51}V and ^1H nuclear magnetic resonance study, 111
Hydrogen absorption
magnetic properties and structure of hydrogenated Nd–Fe alloys, 299
Hydrogen sorption
phase transitions in intermetallic compounds of CrB-type structure during hydrogen sorption, 93
Hydrothermal crystallization
hydrothermal crystallization of $NaZr_2(PO_4)_3$ in F^- medium, L9
Intermetallic compounds
phase transitions in intermetallic compounds of CrB-type structure during hydrogen sorption, 93
electrical resistivity of the $Gd(Al_{1-x}M_x)_2$ compounds for M≡In, Ga, Pd, Sn, Si and Ge, 337

Ionic radii
a simple model for the estimation of electronegativities of cations in different electronic states and coordinations, 285
Ir coating
annealing of aluminium oxide coatings on iridium-coated isotropic graphite at high temperature in argon atmosphere, 279
Iron
bonding and brittleness in B2-type FeAl, L15

Kinetics
hydride formation in Mg–$ZrFe_{1.4}Cr_{0.6}$ composite material, 117
K,Nb silicates
modulated crystal structure of $K_4(NbO)_2[Si_6O_{21}]$, 145

Lanthanide disulphides
magnetic properties of $TlLnS_2$ compounds (Ln = Nd, Gd, Dy, Er and Yb), 271
Lanthanide metals
calculations of valence stabilities for the lanthanide metals, 15
Lanthanides
structural chemistry and magnetism of dicyclopentadienide-halides of lanthanides. Part 8. terbiumdicyclopentadienidebromide $[Tb(C_5H_5)_2Br]_2$, 49
Lanthanum
preparation and characterization of amorphous and crystalline $LaNi_5$ thin film electrodes, 7
Laves compound
effect of transition element substitution on the amorphization temperature in the $ErCo_2$ C15 Laves compound, L5
Li hydrides
electronic structure of lithium-based antiperovskite hydrides, 159
Linear muffin-tin orbitals
calculations of valence stabilities for the lanthanide metals, 15
Lithium
lithium intercalation into double rare earth chromates, 269
Lithium batteries
location of oxygen in the structure of the Chevrel phase $Cu_{1.8}Mo_6S_{8-x}O_x$, L29
Luminescence
luminescence of materials based on $LuTaO_4$, 1

Magnetic behaviour
magnetic behaviour of $R_2Co_7B_3$ compounds (R = Ho,Er,Tm), L33
Magnetic hardening
magnetic hardening of mechanically milled $Sm_2Fe_{14}Ga_3C_2$, 221
Magnetic properties
magnetic properties of $CeAlO_3$, L11
the taming of palladium: the influence of cerium additions on the magnetic and transport properties of palladium in the composition range of 5 to 16.7 at.% Ce, 35
a study of the effects of heat treatment on the microstructures and magnetic properties of Cu-added Nd–Fe–B type sintered magnets, 125
structure and magnetic properties of TbMnGa, 135
magnetic properties of amorphous Y–Fe–N thin films, 231
magnetic properties of $Sm_2(Fe_{1-x}Ga_x)_{17}$ compounds ($x = 0$–0.5), 245
magnetic properties of $TlLnS_2$ compounds (Ln = Nd, Gd, Dy, Er and Yb), 271
magnetic properties and structure of hydrogenated Nd–Fe alloys, 299
Magnetic structure
magnetic structure of $Dy_2Cr_2C_3$, 217
Magnetic susceptibility
U doping study of U-based heavy fermions: UCu_4Pd and $UCu_{3.5}Pd_{1.5}$, 43
structural chemistry and magnetism of dicyclopentadienide-halides of lanthanides. Part 8*: terbiumdicyclopentadienidebromide $[Tb(C_5H_5)_2Br]_2$, 49
Magnets
effect of niobium addition on the Nd–Fe–B alloy and magnet, 363
Manganese
the conductivity of $MnAs_{1-x}Sb_x$ and $Cr_yMn_{1-y}Sb$ single crystals, 305
Materials design
a simple approach to materials design: role played by an ionic–covalent parameter based on polarizing power and electronegativity, 59
Mechanical alloying
synthesis of Cr_7C_3 and Cr_3C_2 by mechanical alloying, L1
thermally assisted solid state amorphization in rod-milled $Al_{50}Hf_{50}$ composite, 71
Mechanical milling
magnetic hardening of mechanically milled $Sm_2Fe_{14}Ga_3C_2$, 221
Melt spinning
formation and stability of Al–Nd and Al–Nd–Fe metallic glasses, 341
Metal hydride electrodes
effects of pretreatment on the activation behavior of $Zr(V_{0.25}Ni_{0.75})_2$ metal hydride electrodes in alkaline solution, 99
Metallic glasses
formation and stability of Al–Nd and Al–Nd–Fe metallic glasses, 341
Metallic melts
thermodynamic behaviour of metallic melts at high dilution according to the associated solution model, 81
Metallization
preparation of vanadium nitride and its subsequent metallization by thermal decomposition, 175
Mg–Zn–Zr–RE alloy
microstructures of Mg–Zn–Zr–RE alloys with high RE and low Zn contents, 275
Microstructure
microstructures of Mg–Zn–Zr–RE alloys with high RE and low Zn contents, 275
effect of niobium addition on the Nd–Fe–B alloy and magnet, 363
Microstructures
a study of the effects of heat treatment on the microstructures and magnetic properties of Cu-added Nd–Fe–B type sintered magnets, 125

NASICON phases
hydrothermal crystallization of $NaZr_2(PO_4)_3$ in F^- medium, L9
Neutron diffraction
structure and magnetic properties of TbMnGa, 135

$Ba_3Ir_2H_{12}$, a new ternary hydride containing octahedral $[IrH_6]^{3-}$ complex anions, 213
magnetic structure of $Dy_2Cr_2C_3$, 217
Ni/MH battery
catalytic effects of alloy surface on the oxygen consumption reaction in a sealed Ni/TiNiH battery, 257
Nickel
preparation and characterization of amorphous and crystalline $LaNi_5$ thin film electrodes, 7
Niobium addition
effect of niobium addition on the Nd–Fe–B alloy and magnet, 363
Niobium nitrides
growth of niobium nitrides by nitrogen–niobium reaction at high temperature, 319
Nitrogen-niobium reaction
growth of niobium nitrides by nitrogen–niobium reaction at high temperature, 319
Np–Zr phase diagram
investigation of the Np–Zr and U–Zr–Np systems, 263
Nuclear magnetic resonance
hydrogen in the A15 compound V_3Ga: ^{51}V and ^1H nuclear magnetic resonance study, 111

Osmium
crystal structures and physical properties of some new ternary compounds U_2T_3X (T = Ru, Os; X = Si, Ge), 251
Oxidation
bonding and brittleness in B2-type FeAl, L15
Oxidation states
a simple model for the estimation of electronegativities of cations in different electronic states and coordinations, 285
Oxygen analysis
oxygen analysis for high-T_c copper oxides: an alternative method for the determination of solid solution limits, 65
Oxygen location
location of oxygen in the structure of the Chevrel phase $Cu_{1.8}Mo_6S_{8-x}O_x$, L29

Palladium
the taming of palladium: the influence of cerium additions on the magnetic and transport properties of palladium in the composition range of 5 to 16.7 at.% Ce, 35
Phase compositions
effect of niobium addition on the Nd–Fe–B alloy and magnet, 363
Phase transition
phase transitions in intermetallic compounds of CrB-type structure during hydrogen sorption, 93
Phosphors
luminescence of materials based on $LuTaO_4$, 1
Physical properties
crystal structures and physical properties of some new ternary compounds U_2T_3X (T = Ru, Os; X = Si, Ge), 251
Preparation
preparation and superconducting properties of high-quality Bi-2212 ceramics, 225
crystal structures and physical properties of some new ternary compounds U_2T_3X (T = Ru, Os; X = Si, Ge), 251
Pressure–composition–temperature
semi-empirical equations for pressure–composition–temperature curves of the Ti–H system, L23
Pretreatment
effects of pretreatment on the activation behavior of $Zr(V_{0.25}Ni_{0.75})_2$ metal hydride electrodes in alkaline solution, 99

Quasi-lattices
non-locally derivable sublattices in quasi-lattices, 139

Rare earth
microstructures of Mg–Zn–Zr–RE alloys with high RE and low Zn contents, 275
Relationships
non-locally derivable sublattices in quasi-lattices, 139
Rod milling
thermally assisted solid state amorphization in rod-milled $Al_{50}Hf_{50}$ composite, 71
Ruthenates
Halogenoxoruthenates with ordered Ru(IV)–Ru(V) distribution: $Ba_5Ru_2O_9Cl$, 239
Ruthenium
new ternary holmium–ruthenium–germanides: HoRuGe and $Ho_3Ru_2Ge_3$, 107
crystal structures and physical properties of some new ternary compounds U_2T_3X (T = Ru, Os; X = Si, Ge), 251

Scanning electron microscopy
a stable Nd–Fe–O ternary compound in $Nd_{34}Fe_{66}O_6$ alloy, 235
Selenides
syntheses and crystal structures of Tl_5Se_2Cl and Tl_5Se_2Br, 151
Shock power
a mathematical and experimental dynamical phase diagram for ball-milled $Ni_{10}Zr_7$, 351
Silicon
solid solutions of silicon in boron-carbide-type crystals, 181
crystal structures and physical properties of some new ternary compounds U_2T_3X (T = Ru, Os; X = Si, Ge), 251
Single crystals
magnetic properties of $CeAlO_3$, L11
the conductivity of $MnAs_{1-x}Sb_x$ and $Cr_yMn_{1-y}Sb$ single crystals, 305
Solid combustion synthesis
the solid combustion synthesis of small $REBa_2Cu_3O_x$ samples (RE = Y, Er), 25
Solid solution limits
oxygen analysis for high-T_c copper oxides: an alternative method for the determination of solid solution limits, 65
Solid solutions
solid solutions of silicon in boron-carbide-type crystals, 181
Solid state amorphization
thermally assisted solid state amorphization in rod-milled $Al_{50}Hf_{50}$ composite, 71
Spin fluctuations
magnetic behaviour of $R_2Co_7B_3$ compounds (R = Ho,Er,Tm), L33
Spin-spin coupling
structural chemistry and magnetism of dicyclopentadienide-halides of lanthanides. Part 8. terbiumdicyclopentadienidebromide $[Tb(C_5H_5)_2Br]_2$, 49
Sr–Mo–O system
determination of standard molar Gibbs' energy of formation of $Sr_3MoO_6(s)$, 193

Stability
formation and stability of Al–Nd and Al–Nd–Fe metallic glasses, 341
Strontium–oxonickelates(IV)
Information on strontium–oxonickelates(IV): $Sr_{12}Ni_{7.5}O_{27}$, 189
Sublimation
sublimation study of tellurium tetrachloride and tetraiodide from their vapour pressure measurements, 207
Superconductivity
preparation and superconducting properties of high-quality Bi-2212 ceramics, 225
crystal structure and superconductivity of high pressure hydrides and deuterides of HfRu and ZrRu compounds, 291
Superconductors
elastic behaviour of Bi–Pb–Ag–Ca_2CuO_3 superconducting composite materials, 329
Synthesis
$K(Mg_{2.61}Cu_{0.39}Cu(AsO_4)_3)$: a further compound with Johillerite structure, L19
syntheses and crystal structures of Tl_5Se_2Cl and Tl_5Se_2Br, 151

Tellurium tetrachloride
sublimation study of tellurium tetrachloride and tetraiodide from their vapour pressure measurements, 207
Tellurium tetraiodide
sublimation study of tellurium tetrachloride and tetraiodide from their vapour pressure measurements, 207
Terbium binuclear complex
structural chemistry and magnetism of dicyclopentadienidehalides of lanthanides. Part 8. terbiumdicyclopentadienidebromide $[Tb(C_5H_5)_2Br]_2$, 49
Ternary compound
a stable Nd–Fe–O ternary compound in $Nd_{34}Fe_{60}O_6$ alloy, 235
Ternary mixtures
determination of standard molar Gibbs' energy of formation of Sr_3MoO_6(s), 193
Thallium compounds
magnetic properties of $TlLnS_2$ compounds (Ln = Nd, Gd, Dy, Er and Yb), 271
Thermal decomposition
preparation of vanadium nitride and its subsequent metallization by thermal decomposition, 175
Thermodynamic properties
hydride formation in Mg–$ZrFe_{1.4}Cr_{0.6}$ composite material, 117
thermodynamic properties of Zn in Te-saturated ZnSe–ZnTe solid solutions, 197
Thermodynamics
thermodynamic behaviour of metallic melts at high dilution according to the associated solution model, 81
Thin film electrodes
preparation and characterization of amorphous and crystalline $LaNi_5$ thin film electrodes, 7
Thin films
magnetic properties of amorphous Y–Fe–N thin films, 231
TiNi electrode
catalytic effects of alloy surface on the oxygen consumption reaction in a sealed Ni/TiNiH battery, 257
Titanium
semi-empirical equations for pressure–composition–temperature curves of the Ti–H system, L23
Titanium carbide
coarsening of TiC particles in a rapidly solidified Ti6Al4V–TiC composite, 167
Transition element substitution
effect of transition element substitution on the amorphization temperature in the $ErCo_2$ C15 Laves compound, L5
Transmission electron microscopy
In situ X-ray diffraction: a useful tool to investigate hydride formation reactions, 85
Transport properties
the taming of palladium: the influence of cerium additions on the magnetic and transport properties of palladium in the composition range of 5 to 16.7 at.% Ce, 35

Uranium
crystal structures and physical properties of some new ternary compounds U_2T_3X (T = Ru, Os; X = Si, Ge), 251
Uranium doping
U doping study of U-based heavy fermions: UCu_4Pd and $UCu_{3.5}Pd_{1.5}$, 43
U–Zr–Np phase diagram
investigation of the Np–Zr and U–Zr–Np systems, 263

Valence stabilities
calculations of valence stabilities for the lanthanide metals, 15
Vanadium nitride
preparation of vanadium nitride and its subsequent metallization by thermal decomposition, 175
Vapour pressure
sublimation study of tellurium tetrachloride and tetraiodide from their vapour pressure measurements, 207

X-ray diffraction
magnetic properties of $CeAlO_3$, L11
in situ X-ray diffraction: a useful tool to investigate hydride formation reactions, 85
$Ba_3Ir_2H_{12}$, a new ternary hydride containing octahedral $[IrH_6]^{3-}$ complex anions, 213
magnetic properties of $Sm_2(Fe_{1-x}Ga_x)_{17}$ compounds (x = 0–0.5), 245

Yttrium
the solid combustion synthesis of small $REBa_2Cu_3O_x$ samples (RE = Y, Er), 25
Yttrium aluminium garnets
combustion synthesis and properties of $Ln_3Fe_5O_{12}$ and yttrium aluminium garnets, 203

Zinc
thermodynamic properties of Zn in Te-saturated ZnSe–ZnTe solid solutions, 197
ZnSe–ZnTe solid solutions
thermodynamic properties of Zn in Te-saturated ZnSe–ZnTe solid solutions, 197